


SMART GLASSES → NON FLEX

**FLOWLINK**


**PATENT PENDING**




**A NEW GENERATION OF SMART HINGES**




- Two-piece side-neutral hinge
- Built-in cable tunnel for smooth and easy routing
- Universal design for perfect integration into the frame
- Fixed to the temple with screws
- Fixed to the front with Space Screws for smooth movement
- Three standard sizes – easy adaptation of width
- Delivery status: loose





## Easy assembly & disassembly



## Best applications of FLOWLINK in 3D-printed & injected frames





**6.0 mm width | up to 3 mm cable width**      **Case: 70-42010.500.10**      **Cover: 70-42010.200.10**





Fixation screws to the temple	Hinge screws
99-04728   99-02008   99-02046  	99-05310.600   99-02310.600   99-04324.600  

**4.0 mm width | up to 2 mm cable width**      **Case: 70-42012.500.10**      **Cover: 70-42012.200.10**



Fixation screws to the temple	Hinge screws
99-02008   99-02026  	99-02907   99-02903.300  

**3.0 mm width | up to 2 mm cable width**      **Case: 70-42011.500.10**      **Cover: 70-42011.100.10**



Fixation screws to the temple	Hinge screws
99-04728   99-02046  	99-02911   99-02904  



OBE GmbH & Co. KG · Turnstr. 22 · 75228 Ispringen · Germany  
Tel. +49 7231 802-0 · [www.obe.de](http://www.obe.de) · [info@obe.de](mailto:info@obe.de)