

ACETATE/METAL & COMBINATION FRAMES → DESIGN TWO BARREL FLEX

**Wafer**

WITH FLEXUNO

**PATENTED**






















**Flush design – unmatched durability**

# Wafer

WITH FLEXUNO












- Round shaped nickel silver spring hinge on wire in low profile – nickel plated
- Elegant low construction
- Zero rocking & easy adjustment with flexUno two-barrel construction

mechanism exchangeable	4.0 mm 73-04066.70X		
			
mechanism not exchangeable	4.0 mm 73-04066.30X	4.8mm 73-04061.40X	
			
Matching parts for	73-04066.70X	73-04066.30X	73-04061.40X
Front hinges for plastic frames 90°	 33-04066  33-04266 off center  0°/6° inclination	 33-04066  33-04266 off center  0°/6° inclination	 33-04061  33-04071 round foot  33-04261 off center  0°/6° inclination
Front hinges for plastic frames 180°	 33-04166	 33-04166	 33-04161
Step hinges for soldering	 52-04166	 52-04166	 52-04161
Rivet hinges	 51-05066	 51-05066	 51-05061
Screws	 99-01732  99-02036  99-02036.800  self aligning for break off	 99-01732  99-02036  99-02036.800  self aligning for break off	 99-02017  99-02017.800  self aligning for break off

# Wafer

WITH FLEXUNO

- Round shaped nickel silver spring hinge in low profile
- Easy & stable U-shaped click-in mechanism in stainless steel
- Zero rocking & easy adjustment with flexUno two-barrel construction

Mechanism exchangeable	60-04066	
		
Mechanism not exchangeable	60-04061.200	
		
Matching parts for	60-04066	60-04061.200
Front hinges for soldering	 52-04276	 52-04261
Front hinges for welding	-	 52-04061
Front hinges for plastic frames 90°	 33-04066 33-04266 off center 0°/6° inclination	 33-04061 33-04071 round foot 33-04261 off center 0°/6° inclination
Front hinges for plastic frames 180°	 33-04166	 33-04161
Step hinges for soldering	 52-04166	 52-04161
Rivet hinges	 51-05066	 51-05061
Hinge screws	 99-01732 99-02036 99-02036.800 self aligning for break off	 99-02017 99-02017.800 self aligning for break off



**OBE GmbH & Co. KG · Turnstr. 22 · 75228 Ispringen · Germany**  
**Tel. +49 7231 802-0 · [www.obe.de](http://www.obe.de) · [info@obe.de](mailto:info@obe.de)**